

Store:
www.hydrorex.com
 Office: 832.277.1182
sales@hydrorex.com
 Houston Tx USA



Fittings | Hoses Type M

690 bar to 4.140 bar (10.000 psi to 60.000 psi)

Type-M Adapter		
SPIR STAR Type M adapters are used with Type M swivel hose end fittings. These adapters seal with a 58 degree cone and are rated for working pressures up to 3.450 bar/50.000 psi.		
	Common Description	Actual Thread Dimension
	M9	9/16"x18UNF
	M12	3/4"x16UNF
	M14	7/8"x14UNF
	M16	1"x12UNF
	M18	1 1/8"x12UNF
	M21	1 5/16"x12UNF

Type M Male x High Pressure Male


Type M Male x High-Pressure Male			
Part Number	Description	Max Working Pressure	
M9-HP4	9/16"-18 Type M x 1/4" HP Male	3.450 bar	50.000 psi
M9-HP6	9/16"-18 Type M x 3/8" HP Male	3.450 bar	50.000 psi
M9-HP9	9/16"-18 Type M x 9/16" HP Male	3.450 bar	50.000 psi
M12-HP4	3/4"-16 Type M x 1/4" HP Male	2.070 bar	30.000 psi
M12-HP6	3/4"-16 Type M x 3/8" HP Male	2.070 bar	30.000 psi
M12-HP9	3/4"-16 Type M x 9/16" HP Male	2.070 bar	30.000 psi
M14-HP6	7/8"-14 Type M x 3/8" HP Male	3.450 bar	50.000 psi
M14-HP9	7/8"-14 Type M x 9/16" HP Male	3.450 bar	50.000 psi
M16-HP6	1"-12 Type M x 3/8" HP Male	2.070 bar	30.000 psi
M16-HP9	1"-12 Type M x 9/16" HP Male	2.070 bar	30.000 psi
M18-HP9	1 1/8"-12 Type M x 9/16" HP Male	3.450 bar	50.000 psi
M21-HP9	1 5/16"-12 Type M x 9/16" HP Male	1.380 bar	20.000 psi



Type M Male x Medium Pressure Male

Type M Male x Medium Pressure Male

Part Number	Description	Max Working Pressure	
M9-MP4	9/16"-18 Type M x 1/4" MP Male	1.380 bar	20.000 psi
M9-MP6	9/16"-18 Type M x 3/8" MP Male	1.380 bar	20.000 psi
M9-MP9	9/16"-18 Type M x 9/16" MP Male	1.380 bar	20.000 psi
M9-MP12	9/16"-18 Type M x 3/4" MP Male	1.380 bar	20.000 psi
M9-MP16	9/16"-18 Type M x 1" MP Male	1.380 bar	20.000 psi
M12-MP4	3/4"-16 Type M x 1/4" MP Male	1.380 bar	20.000 psi
M12-MP6	3/4"-16 Type M x 3/8" MP Male	1.380 bar	20.000 psi
M12-MP9	3/4"-16 Type M x 9/16" MP Male	1.380 bar	20.000 psi
M12-MP12	3/4"-16 Type M x 3/4" MP Male	1.380 bar	20.000 psi
M12-MP16	3/4"-16 Type M x 1" MP Male	1.380 bar	20.000 psi
M16-MP4	1"-12 Type M x 1/4" MP Male	1.380 bar	20.000 psi
M16-MP6	1"-12 Type M x 3/8" MP Male	1.380 bar	20.000 psi
M16-MP9	1"-12 Type M x 1/2" MP Male	1.380 bar	20.000 psi
M16-MP12	1"-12 Type M x 3/4" MP Male	1.380 bar	20.000 psi
M16-MP16	1"-12 Type M x 1" MP Male	1.380 bar	20.000 psi
M21-MP9	1 5/16" Type M x 1/2" MP Male	1.380 bar	20.000 psi
M21-MP12	1 5/16" Type M x 3/4" MP Male	1.380 bar	20.000 psi
M21-MP16	1 5/16" Type M x 1" MP Male	1.380 bar	20.000 psi



Type M Male x NPT Male

Type M Male x NPT Male

Part Number	Description	Max Working Pressure	
M9-NM4	9/16"-18 Type M x 1/4" NPT Male	1.035 bar	15.000 psi
M9-NM6	9/16"-18 Type M x 3/8" NPT Male	1.035 bar	15.000 psi
M9-NM8	9/16"-18 Type M x 1/2" NPT Male	1.035 bar	15.000 psi
M9-NM12	9/16"-18 Type M x 3/4" NPT Male	690 bar	10.000 psi
M9-NM16	9/16"-18 Type M x 1" NPT Male	690 bar	10.000 psi
M12-NM4	3/4"-16 Type M x 1/4" NPT Male	1.035 bar	15.000 psi
M12-NM6	3/4"-16 Type M x 3/8" NPT Male	1.035 bar	15.000 psi
M12-NM8	3/4"-16 Type M x 1/2" NPT Male	1.035 bar	15.000 psi
M12-NM12	3/4"-16 Type M x 3/4" NPT Male	690 bar	10.000 psi
M12-NM16	3/4"-16 Type M x 1" NPT Male	690 bar	10.000 psi
M16-NM4	1"-12 Type M x 1/4" NPT Male	1.035 bar	15.000 psi
M16-NM6	1"-12 Type M x 3/8" NPT Male	1.035 bar	15.000 psi
M16-NM8	1"-12 Type M x 1/2" NPT Male	1.035 bar	15.000 psi
M16-NM12	1"-12 Type M x 3/4" NPT Male	690 bar	10.000 psi
M16-NM16	1"-12 Type M x 1" NPT Male	690 bar	10.000 psi
M21-NM8	1 5/16"-12 Type M x 1/2" NPT Male	1.035 bar	15.000 psi
M21-NM12	1 5/16"-12 Type M x 3/4" NPT Male	690 bar	10.000 psi
M21-NM16	1 5/16"-12 Type M x 1" NPT Male	690 bar	10.000 psi



JIC Male x NPT Male

JIC Male x NPT Male			
Part Number	Description	Max Working Pressure	
HMJ4-NM2	1/4" JIC Male x 1/8" NPT Male	1.035 bar	15.000 psi
HMJ4-NM4	1/4" JIC Male x 1/4" NPT Male	1.035 bar	15.000 psi
HMJ4-NM6	1/4" JIC Male x 3/8" NPT Male	1.035 bar	15.000 psi
HMJ4-NM8	1/4" JIC Male x 1/2" NPT Male	1.035 bar	15.000 psi
HMJ6-NM4	3/8" JIC Male x 1/4" NPT Male	1.035 bar	15.000 psi
HMJ6-NM6	3/8" JIC Male x 3/8" NPT Male	1.035 bar	15.000 psi
HMJ6-NM8	3/8" JIC Male x 1/2" NPT Male	1.035 bar	15.000 psi
HMJ6-NM12	3/8" JIC Male x 3/4" NPT Male	690 bar	10.000 psi
HMJ8-NM4	1/2" JIC Male x 1/4" NPT Male	1.035 bar	15.000 psi
HMJ8-NM6	1/2" JIC Male x 3/8" NPT Male	1.035 bar	15.000 psi
HMJ8-NM8	1/2" JIC Male x 1/2" NPT Male	1.035 bar	15.000 psi
HMJ8-NM12	1/2" JIC Male x 3/4" NPT Male	690 bar	10.000 psi
HMJ8-NM16	1/2" JIC Male x 1" NPT Male	690 bar	10.000 psi
HMJ12-NM12	3/4" JIC Male x 3/4" NPT Male	690 bar	10.000 psi
HMJ12-NM16	3/4" JIC Male x 1" NPT Male	690 bar	10.000 psi
HMJ16-NM12	1" JIC Male x 3/4" NPT Male	690 bar	10.000 psi
HMJ16-NM16	1" JIC Male x 1" NPT Male	690 bar	10.000 psi

