



**T
E
S
T
S**

10000 PSI

HYDROSTATIC TEST MANIFOLDS

ALL STAINLES FOR LIQUIDS & GASES

1/2" NPT - 7 PORTS



TM8 REX SERIES

“The Professional Style” is the most common standard testing equipment.

0-10000 PSI MEDIUM & HIGH PRESSURE: All Stainless steel hydrostatic pressure test manifolds, multiples options are available with pressures ranges up to 10000 psig. ideal for pressure testing with all fluids and gases. Designed for hydro pressure test on all industries including Oil & Gas.

Hydrostatic pressure test manifolds low medium and high pressure. Typical hydrostatic testing operation using an Hydrorex unit and pressure test manifolds with multiples output ports.


Made in USA with highest quality components for low operational cost.

SOME STANDARDS MODELS NUMBERS


TM8-10K-3V



TM8-10K-5V-C



TM8-10K-5V-P



TM8-10K-BLOCK



All components shown below are for pressures ranging up to 10000 psi with 1/2" female NPT options. **Customize your** pressure test manifold to your testing requirements or select from our standard model. **Manifold block 8 Ports Only Available**



How to Order :

TM8-10K-5V-QG

- **TM8** – All 1/2" NPT Test Manifold and all components
- **10K** – Pressure 0-10000
- **1,2,3,4,5** – Numbers of valves needs.
- **V** - Ball Valves
- **C** - Pressure check valve
- **Q** – Quick Connector / Disconnecter
- **G** - Pressure gauge
- **D** - Digital gauge
- **H** – Pressure Hose
- **P** – PSV pressure safety/relief valve
- **A** – Adapters JIC (hoses adapters)
- **S** – Sensor (pressure transducer digital recorder)
- **F** – Frame Stand & Support.



F - FRAME STAND



For any questions or concerns regarding your custom manifolds please contact us at
eli@hydrorex.com Office: 832 277 1182



**Standard Models Available or Customize Yours
Designed for Liquids and Gases**

HYDROSTATIC TEST MANIFOLDS



0-10,000 PSI - 1/2" NPT

PART NUMBER TM8-10K	PORTS	VALVES TEST PORTS	INLET CHECK V. QUICK CONN. HOSE ADAPTER	PSV SAFETY VALVE	TEST GAUGE	PRESURE	EXTRA PORTS
TM8-10k-3V	7 PORTS	3 VALVES	OPEN	X	X	0-10000 PSI	2 OPEN 2 PLUGGED
TM8-10K-3V-Q	7 PORTS	3 VALVES	QUICK CONNECTOR	X	X	0-10000 PSI	1 OPEN 2 PLUGGED
TM8-10K-3V-C	7 PORTS	3 VALVES	CHECK VALVE	X	X	0-10000 PSI	1 OPEN 2 PLUGGED
TM8-10K-5V-C	7 PORTS	5 VALVES	CHECK VALVE	X	X	0-10000 PSI	1 PLUGGED
TM8-10K-5V-CG	7 PORTS	5 VALVES	CHECK VALVE	X	10K GAUGE	0-10000 PSI	X
TM8-10K-4V-CGP	7 PORTS	4 VALVES	CHECK VALVE	PSV	10K GAUGE	0-10000 PSI	X

MODEL: TM8-10K-5V-C



MODEL: TM8-10K-4V-CGP



**Contact us to customize your own test manifold according to your test requirements at
eli@hydrorex.com Office: 832 277 1182**



Hose Type 1 3/2 Hydrostatci Hose 0-10000 Psi

1/2 Female JIC (AN) 1322093

ID13 - Series: A

Applications

Hydrostatic

Hydrostatic pressure test hoses pressure range 0-10000 Psi, for use with many fluids and gases.

Technical Information

Polyamide (PA)

Inner Core: Pressure

2 layers of high-tensile steel wire

Support: Outer Cover:

Polyamide (PA)

Color: Temperature:

Yellow

-30°C to +60°C [-22°F to 140°F]




Ø ID	Ø OD	Working Pressure	Burst Pressure	Bend Radius	Weight	Insert ID
		--	(SF 2,5:1)			
12,9 mm	19,3 mm	--	690 bar	1.725 bar	200 mm	0,435 kg/m
0,51 inch	0,76 inch	--	10.005 psi	25.010 psi	7,87 inch	0,291 lbs/ft
						0,33 inch

Part no.	Thread	Material	Nut	Dimensions (mm)				Insert
				A	B	C	⌀	

Female fitting JIC (swivel nuts)

H10-10K-8JIC **1/2" AN** **STAINLESS** -
H20-10K-8JIC
H50-10K-8JIC
H50-10K-8JIC
H100-10K-8JIC



Order with 2 JIC adapters Options




0-10000 Psi pressure hoses male JIC adapters (all stainless steel)

Hose 20ft lenght with 1/2 Swivel JIC (Part# H20-10K-8JIC)
 1/2" Male JIC x 3/8" Male NPT (Part# HNMJ8-NM6)
 1/2" Male JIC x 1/2" Male NPT (Part# HNMJ8-NM8)



Or Order with Quick Connectors Options

Part no.	Thread	Material	Nut	Dimensions (mm)				Insert
				A	B	C	⌀	
Male fitting								
H10-10K-8NPT	1/2" NPT			8,5	90	18	22	
H20-10K-8NPT								
H50-10K-8NPT								
H75-10K-8NPT								
H100-10K-8NPT								



Hose Quick Disconnect

Order with 2 quick disconnect sets

0-15,000 Psi pressure hoses quick disconnects (all stainless steel) coupler and nipple set 1/2" female NPT

Part# H20-10K-8NPT (Hose 1/2" Male NPT)

Part# CQD-08-SET



0-15000 PSI

STAINLESS STEEL PRESSURE BLOCK MANIFOLDS

Model: TM8-15K-Block 1/2 NPT 7 PORTS & 1/4 NPT 1

PORT Model: TM4-15K-Block - 1/4 NPT 8 PORTS

